

---

**PFAFF<sup>®</sup> 241**

**Unterklassen-Ausstattung**  
Subclass parts  
Composition des sous-classes  
Composición de las subclases


## Subclass organizations

## Dotación de las subclases

Unterklasse Subclass Sous-classe Subclase	Ausführung Model Version Tipo de máquina	Nadelstange Needle bar Barre à aiguille Barra de aguja	Stoffschieber <sup>4</sup> Feed dog Griffe Transportador	Stichplatte <sup>4</sup> Needle plate Plaque à aiguille Placa de aguja	Nahfuß <sup>4</sup> Presser foot Pied presseur Pie prensatelas	Fingerschutz Finger guard Protège-déigts Salvadedos
<b>-6/01</b>	A; B; BN	91-009 678-91	91-040 347-04	91-040 348-04	91-040 349-03	91-046 864-25
<b>-6/01-900/16;/56</b>	A; B; BN	91-009 678-91	91-040 347-04	91-058 955-05	91-040 349-03	91-046 864-25
<b>-55/01</b>	B; BN	91-009 678-91	91-047 029-04	91-048 079-04	91-051 339-93	
<b>-944/01</b>	A; B; BN	91-009 678-91	91-026 672-04	91-040 032-04	91-051 255-93	91-009 492-91


<sup>4</sup> = Ausführung angeben  
= Indicate model  
= Préciser la version

Unterklassen-Ubersicht / Table of subclasses / Table des sous-classes / Tabla de subclases



-6/01  
-6/01-900/16;/56  
-55/01  
-944/01

91-026 672-04



-944/01

91-040 347-04



-6/01  
-6/01-900/16;/56

91-047 029-04



-55/01

91-040 032-04



-944/01

91-040 348-04



-6/01

91-048 079-04




-55/01

91-058 955-05




-6/01-900/16;/56

91-040 349-03




-6/01  
-6/01-900/16;/56

91-051 255-93




-944/01

91-051 339-93




-55/01

91-046 864-25



-6/01  
-6/01-900/16;/56

91-009 492-91



-944/01

# PFAFF

G.M. PFAFF  
Aktiengesellschaft

Postfach 3020  
D-67653 Kaiserslautern

Königstr. 154  
D-67655 Kaiserslautern

Telefon: (0631) 200-0  
Telefax: (0631) 172 02  
Telex: 45753 PFAFF D

Gedruckt in der BRD  
Printed in Germany  
Imprimé en R.F.A.  
Impreso en la R.F.A.